

WARNING Keep out of reach of children. **ECOTOXIC**
COMBUSTIBLE LIQUID – KEEP AWAY FROM SOURCES OF IGNITION
HSNO Class: 2.1.2A, 6.3B, 6.4A, 6.9B, 9.1C

Approved Handler Applies

This product must be under the control of an approved handler or secured.

ENVIRONMENTAL WARNING: HARMFUL TO AQUATIC LIFE WITH LONG-LASTING EFFECTS. DO NOT apply to bodies of water. DO NOT contaminate sewers, drains, dams, creeks or any other waterways with product or empty container.

FLAMMABLE: This product contains a hydrocarbon propellant under pressure. Do not expose to temperatures above 50°C.

HEALTH WARNING: Harmful – presumed to cause organ damage from repeated oral exposure at high doses. May cause eye and skin irritation.

PRODUCT DISPOSAL: Ensure unwanted product is used strictly in accordance with label directions.

CONTAINER DISPOSAL: Do not crush or puncture. Do not incinerate. Bury empty container in a suitable landfill.

HANDLING PRECAUTIONS: When mixing or applying, wear protective clothing, gloves and goggles. Do not eat, drink or smoke while using. Wash hands and face before meals and after work. Wash protective clothing after work.

STORAGE: Store in original container in a locked, dry, cool, well ventilated area, away from foodstuffs. Storage must be generally in accordance with NZS8409 Management of Agrichemicals. Stores may require bunding and signage. See the HAZNOTE for further information.

When stored appropriately this product should show no significant degradation for 2 years. Contact your supplier for further information about the use of any product that is older than this.

FIRST AID: If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

EXCLUSION OF LIABILITY: PLEASE READ

To the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Etec Crop Solutions Limited as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

Batch No. see aerosol

DOM. see aerosol



KEEP OUT OF REACH OF CHILDREN
FLAMMABLE AEROSOL

ScomidTM Limb AEROSOL

For the control of *Botrytis cinerea* on tomato stems, European Canker on apple trees and Silver Leaf on stone fruit trees over the dormant period, and as a wound dressing on pruning cuts.

Read the Label Carefully before use



Active Ingredient:
20.6g/litre imazalil in the form of an aerosol.
Propellant: 162g/kg Hydrocarbons

Net Contents
300ml

Registered to:
Etec Crop Solutions Limited
PO Box 51584, Pakuranga
Auckland, New Zealand
Phone: 0800 100 325
www.etec.co.nz

Manufactured by: Volcke Aerosol Connection, Belgium
Imazalil is a product of: Certis b.v. The Netherlands
TM - Trade Mark of Certis b.v. The Netherlands

FUNGICIDE

Etec
CROP SOLUTIONS

PRODUCT INFORMATION:

SCOMRID LIMB AEROSOL is a systemic fungicide active against the fungal diseases that gain entry into trees and other plants through pruning wounds and other injuries. Scomid Limb Aerosol is particularly active against European Canker (*Nectria galligena*) in apples, Silver Leaf (*Chondrostereum purpureum*) in stone fruit and Grey Mould (*Botrytis cinerea*) on tomato stems. The active ingredient is both preventative and curative in its action, penetrating the plant tissue and protecting over a long period. The aerosol contains a green dye as an indicator to ensure that good coverage is obtained.

APPLICATION

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS

TOMATOES (INDOOR)

As a protectant, spray the wound immediately after removing the leaf, branch or truss. As an eradicant, spray the infected portion of the stem ensuring that the spray extends slightly beyond the obviously diseased areas. *Spray a 1 second burst directly on to the wound from a distance of 10 - 15 centimetres.*

Notes:

1. Tomato plants should be over 1 metre tall to ensure that stems are lignified.
2. Do not spray soft leaf tissue as damage will result.
3. Do not spray directly onto fruit.
4. Do not apply more than 3 one second bursts to a single plant in one day nor more than 4 one second bursts to a single plant in a 7 day period.

APPLES, STONEFRUIT (dormant period only)

Spray the wound as soon as possible after pruning. Old wounds and cankers should be cleaned and cut away back to sound tissue. Spray the product onto the wound until complete coverage has been reached. The green colour disappears in time. Large wounds should be painted later with a wound dressing to maintain protection. If rain is likely to fall within 24 hours of application apply a wound dressing paste to maintain protection.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards

WITHHOLDING PERIOD: Tomatoes – 3 days

Registered pursuant to ACVM Act 1997 No.4596

HSNO Approval Code HSR000619

See www.nzta.govt.nz/acvm for registration conditions

UN1950

ENVIRONMENTALLY HAZARDOUS SUBSTANCE

AEROSOL FLAMMABLE N.O.S (IMAZALIL)

PACKING GROUP III. HAZCHEM 3WE

24 Hour Emergency Response

0800CHEM CALL

0800 243 622

EL433

CERTIS



dieline



pms 253



black



pms 369



pms 375



pms 485