

**KEEP OUT OF REACH OF CHILDREN
CORROSIVE**

NEBIJINTM 5SC

**Soil fungicide for the control
of club root in vegetable brassicas
and powdery scab in potatoes**

Read the Label Carefully before use

Contains:
50 g/litre flusulfamide in
the form of a suspension concentrate.

NET CONTENTS:
1 Litre

AGRECOVERY

Registered By:
Elliott Technologies Limited
PO Box 838, Pukekohe, New Zealand.
Phone: 0800 100 325
www.elliott-technologies.co.nz

Elliott

PRODUCT INFORMATION

NEBIJIN 5SC is a fungicide active against the diseases that cause club root in vegetable brassicas and powdery scab in potatoes. **NEBIJIN 5SC**, when applied to the soil immediately before planting and immediately incorporated, controls these diseases even under high levels of field infestation. **NEBIJIN 5SC** is not a fumigant but is a contact fungicide. Thorough soil incorporation is essential for best results.

WITHHOLDING PERIOD ANIMAL FEEDING

BRASSICA AND POTATO

Do not graze treated crops or feed any part of the treated crop to stock. Do not sow pasture or fodder crops until at least one vegetable crop has followed the use of NEBIJIN 5SC.

APPLICATION

Mixing: Fill the spray tank half full with water and, with agitation going, pour the required amount of **NEBIJIN 5SC** into the spray tank and complete filling. Keep agitation running.

RECOMMENDATIONS:

BRASSICAS – CABBAGE, CAULIFLOWER, BROCCOLI – CLUB ROOT

Use 18 – 36 litres **NEBIJIN 5SC** per hectare in 300 – 400 litres of water as a broadcast treatment. Apply evenly to a fine seed bed and incorporate thoroughly immediately to a depth of 100 – 150 mm prior to transplanting. Do not mix with any other products. Do not add adjuvants. Use the higher rate on soils known to be heavily infested.

If banding the product, ensure that the above rates are used per applied hectare and ensure that plants are placed into the centre of the band at transplanting.

POTATOES – SOIL TREATMENT – POWDERY SCAB

Use 18 – 36 litres **NEBIJIN 5SC** per treated hectare. This may be applied either :

(a) as a broadcast treatment to the soil, prior to planting, ensuring 300 – 400 litres of water to get an even coverage and incorporated to a depth of 100 mm, or

(b) **NEBIJIN 5SC** can also be applied at planting in a band, 400 mm wide, through spray nozzles mounted on the planter and sprayed into the covering discs.

Use the higher rate on soils known to be heavily infested. Do not mix with other chemicals. Do not add adjuvants.

POTATOES – SEED TREATMENT – POWDERY SCAB

Apply 20 – 40 mls **NEBIJIN 5SC** in 1 – 2 litres of water to 1 tonne of potato seed through a misting spray nozzle as the tubers pass over a roller table, prior to planting.

Use the higher rate of product on heavily infested tubers. Use the higher water rate on dirty or hard to wet tubers. If tubers become too wet, allow to dry before planting. Before mixing **NEBIJIN 5SC** with any other liquid fungicide seed treatment, do a small compatibility jar test at the ratios to be used, to check that the products do mix without problems.

EXCLUSION OF LIABILITY: PLEASE READ

To the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Elliott Technologies Limited as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

See www.nzfsa.govt.nz/acvm/ for registration conditions. **UN3082. Proper shipping name:**


**24 Hour Emergency Response
0800 CHEM CALL
0800 243 622**

**ENVIRONMENTALLY
HAZARDOUS SUBSTANCE
N.O.S. Flusulphamide**

Batch No.

DOM

EL310



CORROSIVE ECOTOXIC

HSNO Class: 6.1D, 6.8B, 6.9B, 9.1B, 9.3C

ENVIRONMENTAL WARNING:

TOXIC TO AQUATIC ORGANISMS. Avoid contamination of any water supply with product or empty container. **HARMFUL TO TERRESTRIAL VERTEBRATES**

HEALTH WARNING: HARMFUL – may be harmful if swallowed, inhaled or absorbed through the skin. Repeated exposure at high doses may cause reproductive / developmental damage and presumed to cause organ damage.

PRODUCT DISPOSAL: Ensure unwanted product is used by another operator strictly in accordance with label directions.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Submit clean empty container for recycling through Agrecovery. If this is not possible, burn if permitted and circumstances, especially wind direction allow, otherwise bury in landfill.

HANDLING PRECAUTIONS: When mixing or applying, wear protective clothing, gloves and goggles.

Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

STORAGE: Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from feed, seeds and foodstuffs. This product is classified under HSNO as 9.1A, and storage of certain quantities may require bunding and signage. See the HAZNOTE for further information.

When stored appropriately this product should show no significant degradation for 2 years from the date of manufacturer. Contact your supplier for further information about the use of any product that is older than this.

FIRST AID: If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre **0800 POISON (0800 764 766)** or a doctor immediately. If skin, hair or eye contact occurs, remove contaminated clothing and flush skin, hair and/or eyes with running water for several minutes.

© Trademark of Elliott Technologies Limited
™ -Trade Mark of Mitsui Chemicals, Inc., Tokyo, Japan
HSNO Approved Code HSR000626
Registered pursuant to ACVM Act 1997 no P5603

260mm wide

160mm deep